

AUG 30 2007
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Papallo et al.
 Serial No.: 10/662,945
 For: CIRCUIT PROTECTIN SYSTEM
 Filed: September 15, 2003
 Examiner: Z. E. Cabrera
 Art Unit: 2125
 Confirmation No.: 2025
 Customer No.: 27,623

Attorney Docket No.: 13851

Mail Stop Appeal Brief-Patents
 COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, VA 22313-1450

Dear Sir:

RESPONSE TRANSMITTAL

We are enclosing a Supplement to the Appeal Brief in response to the Notice of Non-Compliant Appeal Brief dated July 30, 2007 in the above-identified application.

Petition for extension of time pursuant to 37 C.F.R. §§ 1.136 and 1.137 is hereby made if, and to the extent, required. The fee for this extension of time is calculated to be \$_____ to extend the time for filing this response until _____.

The fee for any change in number of claims has been calculated as shown below.

CLAIMS AS AMENDED						
	Claims Remaining After Amendment		Highest Number Previously Paid	Present Extra	Rate	
Total Claims		Minus	20	0	x \$50.00	\$
Independent Claims		Minus	3	0	x \$200.00	\$
MULTIPLE DEPENDENT CLAIM FEE					x \$360.00 =	\$
TOTAL FEE FOR CLAIM CHANGES						\$0.00
1/2 FILING FEE FOR SMALL ENTITY						\$N/A

AUG 30 2007


The total fee for this amendment, including claim changes and any extension of time is calculated to be \$ 0.00.

 A check in the amount of \$ 0.00 is attached.

☒ The Commissioner is hereby authorized to charge any additional fees under 37 C.F.R. §§1.16 and 1.17 which may be required with this communication or during the entire pendency of the application, or credit any overpayment, to **Deposit Account No. 01-0467**. A duplicate copy of this Form is enclosed.

August 30, 2007

Date


Paul D. Greeley
Attorney for Applicant(s)
Registration No. 31,019
Ohlandt, Greeley, Ruggiero & Perle, L.L.P.
One Landmark Square, 10th Floor
Stamford, CT 06901-2682
Telephone: (203) 327-4500
Telefax: (203) 327-6401

CERTIFICATE OF TRANSMISSION

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING FACSIMILE TRANSMITTED TO THE FACSIMILE NUMBER 571-273-8300, 19 total pages, c/o MAIL STOP APPEAL BRIEF-PATENTS, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450, ON August 30, 2007.

Ruth J. Olivo
NAME


SIGNATURE

August 30, 2007
DATE

AUG 30 2007**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Appellant(s): Papallo et al.
Serial No.: 10/662,945
For: CIRCUIT PROTECTION SYSTEM
Filed: September 15, 2003
Examiner: Zoila E. Cabrera
Art Unit: 2125
Confirmation No.: 2025
Customer No.: 27,623

Attorney Docket No.: 138561

**Mail Stop Appeal Brief-Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**

SUPPLEMENT TO THE APPEAL BRIEF FILED UNDER 35 U.S.C. §134

Dear Sir:

Further to the Notice of Non-Compliant Appeal Brief dated July 30, 2007 and in compliance with the requirements set forth in the Manual of Patent Examining Practice §1205.03 (B), Appellants submit herewith a paper providing a summary of the claimed subject matter as required by 37 CFR 41.37(c)(1)(v). This paper is supplemental to the Appeal Brief filed on June 27, 2007.

Appellants wish to thank Patent Appeal Center Specialist Timothy Cole for his time to discuss the Notice of Non-Compliant Appeal Brief's requirement to include separate headings for each ground of rejection. As discussed, the Appeal Brief submitted on June 27, 2007 included one ground of rejection to be appealed and one heading. Appellants submit, and Specialist Cole agreed, that no correction to the Appeal Brief is warranted at this time.

Serial No. 10/662,945
Art Unit 2125

(v) Summary of claimed subject matter

The claimed invention relates generally to methods for protecting circuits (claims 1 and 14), protection systems (claims 29 and 39) utilizing such methods, and power distribution systems (claims 51 and 62) utilizing such methods.

Advantageously, the claimed methods and systems provide dynamic zone protection. As a non-limiting example of adjusting a zone protective function for the zone, Appellants' specification describes:

In an exemplary embodiment, protection system 26, can perform dynamic zone protective functions for the zones of protection of power distribution system 105. The dynamic operation of system 26, and its capability of adjusting the zone protection functions, including, but not limited to, the algorithms and/or the coefficients associated with the algorithms, accounts for changes in the topology within the zone of protection, as well as throughout the entire circuit. See paragraph [0089].

As a further non-limiting example, Appellants' specification describes application of the claimed methodology and the claimed systems with use of bus differential as the zone protective function based upon a change to the zone of protection as shown in FIGS. 9 and 10. Here, Appellants' specification describes the non-limiting example of the adjusting of the zone protective function as follows:

If the configuration of power distribution system 105 were changed by closing tie CB 1070 (as shown in FIG. 10), then the tie CB would be a power sink of zone 1095. Again applying equation one to zone 1095 where tie CB 1070 is now closed, provides a bus differential function defined by equation three:

$$i_r = i_{\text{main-1}} - (i_{\text{feeder-1}} + i_{\text{feeder-2}} + i_{\text{tie}})$$

where $i_{\text{main-1}}$ is the current at main-1 CB 1015, $i_{\text{feeder-1}}$ is the current at feeder-1 CB 1020, $i_{\text{feeder-2}}$ is the current at feeder-2 CB 1025 and i_{tie} is the current at tie CB 1070. CCPU 28 has all of the information for the device status available to it at the same time as all of the information for the current. Based upon the state or topology of power distribution system 105, and, in particular, the state or topology within zone 1095 with tie CB 1070 now closed, CCPU can apply equation three for determining the residual current within the zone. The ability for CCPU 28 to have the state information at the same time as the current, allows CCPU 28 to apply the correct

Serial No. 10/662,945
Art Unit 2125

algorithm for the bus differential protection function, and avoids application of the erroneous equation two causing a false trip within zone 1095. The protection function can continue effectively uninterrupted to provide the same protection to the new state, topology or configuration within zone 1095. See paragraph [0094].

Advantageously, the claimed zone protective function itself is adjusted based at least in part upon the topology or changes to the topology. Such adjustment prevents use of erroneous algorithms resulting from the different configuration of the circuit.

Independent claims 1 and 14 are each directed to a method of protecting a circuit (105).

The method of claim 1 includes: monitoring a zone of protection (595, 895, 896, 995, 1095, 1195) of the circuit to determine a first topology; adjusting a zone protective function for said zone of protection based at least in part upon changes to said first topology, said zone protective function detecting a fault in said zone of protection; and performing said zone protective function on said zone of protection to detect said fault. See Figures 5-11 and paragraphs [0089] to [0094].

Similarly, the method of claim 14 includes: monitoring the circuit (105) to determine a first topology; defining a zone of protection (595, 895, 896, 995, 1095, 1195) for at least a portion of the circuit based at least in part upon changes to said first topology; performing a zone protective function on said zone of protection to detect a fault; monitoring a second topology for said zone of protection; and adjusting said zone protective function based at least in part upon changes to said second topology. See Figures 5-11 and paragraphs [0089] to [0094].

Independent claim 29 is directed to a protection system (26) for coupling to a circuit (105) having a circuit breaker (14, 415, 420, 425, 700, 715, 720, 725, 1015, 1016, 1020, 1021, 1025, 1026, 1070). The system includes: a control processing unit (28) being communicatively coupleable to the circuit so that said control processing unit can monitor a topology of the circuit, said control processing unit defining a zone of

Serial No. 10/662,945
Art Unit 2125

protection (595, 895, 896, 995, 1095, 1195) for at least a portion of the circuit based at least in part upon said topology, and said control processing unit redefining said zone of protection based at least in part upon changes to said topology, wherein said control processing unit adjusts a zone protective function for said zone of protection based at least in part upon changes to said topology, said zone protective function detecting a fault in said zone of protection. **See Figures 5-11 and paragraphs [0089] to [0094].**

Independent claim 39 is directed to a protection system (26) for coupling to a circuit (105) having a zone of protection (595, 895, 896, 995, 1095, 1195) and a circuit breaker (14, 415, 420, 425, 700, 715, 720, 725, 1015, 1016, 1020, 1021, 1025, 1026, 1070). The system includes: a control processing unit (28) being communicatively coupleable to the circuit so that said control processing unit can monitor a topology of the zone of protection, said control processing unit adjusting a zone protective function for the zone of protection based at least in part upon said topology, and said control processing unit performing said zone protective function to detect a fault in the zone of protection. **See Figures 5-11 and paragraphs [0089] to [0094].**

Independent claims 51 and 62 are each directed to a power distribution system (10).

The system of claim 51 includes: a circuit (105) and a control processing unit (28) communicatively coupled to said circuit, wherein said control processing unit determines a topology of said circuit, wherein said control processing unit defines a zone of protection (595, 895, 896, 995, 1095, 1195) for at least a portion of said circuit based at least in part upon said topology, wherein said control processing unit redefines said zone of protection based at least in part upon changes to said topology, and wherein said control processing unit adjusts a zone protective function for said zone of protection based at least in part upon changes to said topology, said zone protective function detecting a fault in said zone of protection. **See Figures 5-11 and paragraphs [0089] to [0094].**

Serial No. 10/662,945
Art Unit 2125


Similarly, the system of claim 62 includes: a circuit (105) having a zone of protection (595, 895, 896, 995, 1095, 1195) and a control processing unit (28) being communicatively coupled to said circuit, wherein said control processing unit monitors a topology of said zone of protection, wherein said control processing unit adjusts a zone protective function for said zone of protection based at least in part upon said topology, and wherein said control processing unit performs said zone protective function to detect a fault in said zone of protection. See Figures 5-11 and paragraphs [0089] to [0094].

Summary

In view of the above supplement to the Appeal Brief, Appellants respectfully request that the Board of Appeals reverse the final rejection of claims 1-14, 16, and 19-74 and pass the present application to issuance.

Respectfully submitted,

August 30, 2007



Paul D. Greeley
Registration No. 31,019
Attorney for Appellant(s)
Ohlandt, Greeley, Ruggiero & Perle, L.L.P.
One Landmark Square, 10th floor
Stamford, CT 06901-2682
Tel: (203) 327-4500
Fax: (203) 327-6401